Material Safety Data Sheet

o-Phosphoric Acid, 85% w/w, NF



1. Product and company identification

Product name : o-Phosphoric Acid, 85% w/w, NF

: PX0993 Product code

Supplier : EMD Chemicals Inc. 480 S. Democrat Rd.

Gibbstown, NJ 08027

856-423-6300 Technical Service Monday-Friday: 8:00 -5:00 PM

Synonym : Orthophosphoric Acid

Material uses Other non-specified industry: Analytical reagent.

Validation date 4/10/2009.

In case of emergency 800-424-9300 CHEMTREC (USA)

613-996-6666 CANUTEC (Canada)

24 Hours/Day: 7 Days/Week

2. Hazards identification

Emergency overview : DANGER!

CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS.

HARMFUL IF INHALED OR SWALLOWED.

CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS:

RESPIRATORY TRACT, SKIN, EYE, LENS OR CORNEA.

Do not breathe vapor or mist. Do not ingest. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready

for use. Wash thoroughly after handling.

Physical state : Liquid.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

; Dermal contact. Eye contact. Inhalation. Ingestion. Routes of entry

Potential acute health effects

: Toxic by inhalation. Corrosive to the respiratory system. Inhalation

Ingestion : Toxic if swallowed. May cause burns to mouth, throat and stomach.

Skin : Corrosive to the skin. Causes burns. : Corrosive to eyes. Causes burns. Eyes

Potential chronic health effects

Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. Teratogenicity : No known significant effects or critical hazards. Developmental effects

: No known significant effects or critical hazards. Fertility effects

Contains material which causes damage to the following organs: upper respiratory tract, Target organs

skin, eye, lens or cornea.

Medical conditions aggravated by over-

exposure

: Pre-existing disorders involving any target organs mentioned in this MSDS as being at

risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

Composition/information on ingredients 3.

<u>Name</u>	CAS number	% by weight
Phosphoric Acid	7664-38-2	85 - 100
Water	7732-18-5	0 - 15

First aid measures

Eye contact

: Check for and remove any contact lenses, Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation

Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous thermal decomposition products : Decomposition products may include the following materials: phosphorus oxides

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures 6

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

7. Handling and storage

Handling

: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container, protected from direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

8. Exposure controls/personal protection

Ingredient	Exposure limits	
Phosphoric Acid	ACGIH TLV (United States, 1/2006). STEL: 3 mg/m³ 15 minute(s). Form: All forms TWA: 1 mg/m³ 8 hour(s). Form: All forms NIOSH REL (United States, 12/2001). STEL: 3 mg/m³ 15 minute(s). Form: All forms TWA: 1 mg/m³ 10 hour(s). Form: All forms OSHA PEL (United States, 8/1997). TWA: 1 mg/m³ 8 hour(s). Form: All forms OSHA PEL 1989 (United States, 3/1989). STEL: 3 mg/m³ 15 minute(s). Form: All forms TWA: 1 mg/m³ 8 hour(s). Form: All forms	

Consult local authorities for acceptable exposure limits.

Engineering measures

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles, face shield

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Recommended: safety apron

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Physical and chemical properties 9.

: Liquid. Physical state Color : Colorless. Odor Odorless. : Not available. Hq Boiling/condensation point : Not available. Melting/freezing point : Not available. : Not available. Relative density : Not available. Vapor pressure : Not available. Vapor density Odor threshold : Not available.

: Soluble in the following materials: water Solubility

; Not available.

10. Stability and reactivity

Chemical stability

Evaporation rate

Possibility of hazardous

reactions

: The product is stable.

: Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization

Conditions to avoid

Materials to avoid Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous polymerization will not occur.

: Reactive or incompatible with the following materials: metals and alkalis.

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

: No specific data.

Conditions of reactivity

Explosive in the presence of the following materials or conditions: heat and oxidizing materials.

11 . Toxicological information

Acute toxicity

Product/ingredient name	Test Route	Species	Result
Phosphoric Acid	LD50 Dermal	Rabbit	2740 mg/kg
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LD50 Dermal	Rabbit	2740 mg/kg
	LD50 Oral	Rat	1530 mg/kg
	LD50 Oral	Rat	1530 mg/kg
	LC50 Inhalation	Rat	850 mg/m³¯
	Vapor		

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

12. Ecological information

: No known significant effects or critical hazards. **Environmental effects** : No known significant effects or critical hazards. Other adverse effects

13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1805	PHOSPHORIC ACID, SOLUTION	8			Reportable quantity 5000 lbs. (2270 kg)

PG*: Packing group

15 . Regulatory information

United States

HCS Classification

: Toxic material Corrosive material Target organ effects

U.S. Federal regulations

: United States inventory (TSCA 8b): All components are listed or exempted.

TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory. SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Phosphoric Acid

SARA 311/312 MSDS distribution - chemical inventory - hazard identification:

Phosphoric Acid: Immediate (acute) health hazard Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: Phosphoric Acid

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

Connecticut Carcinogen

Reporting

: None of the components are listed.

Connecticut Hazardous **Material Survey**

: None of the components are listed.

Florida substances

: None of the components are listed.

Illinois Chemical Safety Act : None of the components are listed. Illinois Toxic Substances

: None of the components are listed.

Disclosure to Employee Act Louisiana Spill

: None of the components are listed.

Louisiana Reporting Massachusetts Spill : None of the components are listed. : None of the components are listed.

Massachusetts Substances

: The following components are listed: Phosphoric Acid

Minnesota Hazardous

: None of the components are listed.

Substances

15. Regulatory information

Michigan Critical Material

: None of the components are listed.

New Jersey Toxic

Catastrophe Prevention Act

: None of the components are listed.

New Jersey Spill

: None of the components are listed.

New Jersey Hazardous

Substances

: The following components are listed: Phosphoric Acid; Water

New York Toxic Chemical

Release Reporting

: None of the components are listed.

New York Acutely Hazardous Substances : None of the components are listed.

Pennsylvania RTK Hazardous Substances : The following components are listed: Phosphoric Acid

Rhode Island Hazardous

Substances

: None of the components are listed.

Canada

WHMIS (Canada)

: Class E: Corrosive material

Canadian lists

: CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: None of the components are listed.

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

CEPA DSL / CEPA NDSL

: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations

Hazard symbol or symbols



Risk phrases

: R34- Causes burns.

Safety phrases

: S2- Keep out of the reach of children.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

International regulations

International lists

: Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): Not determined.

Japan inventory (ENCS): All components are listed or exempted.

Japan inventory (ISHL): Not determined.


Korea inventory (KECI): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): All components are listed or exempted.

16. Other information

National Fire Protection Association (U.S.A.)



Notice to reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.